



# SAFETY DATA SHEET

Issuing Date: No data available

Revision Date 21-Jul-2015

Version: 1

## 1. IDENTIFICATION

### Product Identifier

**Product Name** BRUSHABLE NEUTRAL  
**Description** POLYCOR

### Other means of identification

**Product Code(s)** 944XN005B

### Recommended use of the chemical and restrictions on use

**Identified uses** Industrial.  
**Uses advised against** No information available

### Details of the supplier of the safety data sheet

**Supplier Address**  
Polynt Composites USA Inc  
99 East Cottage Avenue  
Carpentersville, IL 60110  
Tel: (847) 428-2657

### Emergency telephone number

CHEMTREC: 1-800-424-9300 (NORTH AMERICA)  
+1-703-527-3887 (INTERNATIONAL)

## 2. HAZARDS IDENTIFICATION

### Classification

### OSHA Regulatory Status

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Acute Toxicity - Oral	Category 4
Acute toxicity - Inhalation (Gases)	Category 4
Acute toxicity - Inhalation (Vapors)	Category 4
Acute toxicity - Inhalation (Dusts/Mists)	Category 4
Skin corrosion/irritation	Category 2
Serious eye damage/eye Irritation	Category 2
Skin Sensitization	Category 1
Germ Cell Mutagenicity	Category 1B
Carcinogenicity	Category 1B
Reproductive Toxicity	Category 2
Specific Target Organ Toxicity (Repeated Exposure)	Category 1
Flammable Liquids	Category 3

### Label elements

### Emergency Overview

Danger

**Hazard Statements**

- HARMFUL IF SWALLOWED
- Harmful if inhaled
- Causes skin irritation
- Causes serious eye irritation
- May cause an allergic skin reaction
- May cause genetic defects
- May cause cancer
- Suspected of damaging fertility or the unborn child
- Causes damage to organs through prolonged or repeated exposure
- 
- Flammable liquid and vapor



**Appearance**  
Translucent

**Physical State**  
Liquid

**Odor**  
Moderate aromatic

**Precautionary Statements - Response**

- IF exposed or concerned: Get medical advice/attention
- Specific treatment (see .? on this label)
- IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
- If eye irritation persists: Get medical advice/attention
- If skin irritation or rash occurs: Get medical advice/attention
- IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower
- Wash contaminated clothing before reuse
- IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing
- IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell
- Rinse mouth
- In case of fire: Use CO<sub>2</sub>, dry chemical, or foam for extinction

**Precautionary Statements - Storage**

- Store locked up
- Store in a well-ventilated place. Keep cool

**Precautionary Statements - Disposal**

- Dispose of contents/container to an approved waste disposal plant

**Hazards not otherwise classified (HNOC)****Other information****3. COMPOSITION/INFORMATION ON INGREDIENTS**

Chemical Name	CAS-No	Weight %
STYRENE MONOMER	100-42-5	33.54
METHYL METHACRYLATE	80-62-6	4.995
COBALT 2-ETHYLHEXANOATE, 12% COBALT	136-52-7	0.23

\*The exact percentage (concentration) of composition has been withheld as a trade secret.

**4. FIRST AID MEASURES****First aid measures**

<b>General Advice</b>	If symptoms persist, call a physician. Show this safety data sheet to the doctor in attendance. Do not breathe dust/fume/gas/mist/vapors/spray.
<b>Eye Contact</b>	If symptoms persist, call a physician. Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.
<b>Skin Contact</b>	Wash off immediately with soap and plenty of water removing all contaminated clothes and shoes. Get medical attention if irritation develops and persists. Wash contaminated clothing before reuse.
<b>Inhalation</b>	If not breathing, give artificial respiration. Move to fresh air in case of accidental inhalation of vapors. Get medical attention immediately if symptoms occur.
<b>Ingestion</b>	Do NOT induce vomiting. Consult a physician. Aspiration hazard if swallowed - can enter lungs and cause damage.
<b>Protection of First-aiders</b>	Use personal protective equipment.

**Most important symptoms and effects, both acute and delayed**

**Most Important Symptoms/Effects** Burning. Symptoms of overexposure are dizziness, headache, tiredness, nausea, unconsciousness, cessation of breathing.

**Indication of any immediate medical attention and special treatment needed**

**Notes to Physician** Notes to Physician.

## 5. FIRE-FIGHTING MEASURES

**Suitable Extinguishing Media**

Cool containers / tanks with water spray. Extinguishing media - small fires. Water spray. Carbon dioxide (CO<sub>2</sub>). Dry powder. Extinguishing media - large fires. Water spray or fog.

**Unsuitable Extinguishing Media** Do not use a solid water stream as it may scatter and spread fire.

**Specific Hazards Arising from the Chemical**

May be ignited by heat, sparks or flames. Self-accelerating decomposition may occur if the specific control temperature is not maintained. Vapors may accumulate in confined areas (basement, tanks, hopper/tank cars, etc.).

**Hazardous Combustion Products** Carbon dioxide (CO<sub>2</sub>). Carbon monoxide.

**Explosion Data**

**Sensitivity to Mechanical Impact** No known hazard.  
**Sensitivity to Static Discharge** Avoid static charge.

**Protective Equipment and Precautions for Firefighters**

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

## 6. ACCIDENTAL RELEASE MEASURES

**Personal precautions, protective equipment and emergency procedures**

**Personal Precautions** Ensure adequate ventilation. Evacuate personnel to safe areas. Eliminate all ignition sources (no smoking, flares, sparks or flames in immediate area). Avoid breathing vapors or mists.

All equipment used when handling the product must be grounded.

**Environmental precautions**

**Environmental precautions** Prevent entry into waterways, sewers, basements or confined areas. Do not flush into surface water or sanitary sewer system.

**Methods and materials for containment and cleaning up**

**Methods for Containment** Contain and collect spillage with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see Section 13). Dike to collect large liquid spills.

**Methods for cleaning up** Use non-sparking tools and equipment.

**7. HANDLING AND STORAGE****Precautions for safe handling**

**Precautions for safe handling** Keep container closed when not in use. Keep away from heat, sparks and flame. Ground/bond container and equipment. Wear personal protective equipment. Avoid contact with skin, eyes and clothing. Do not breathe vapors or spray mist. Use only in well-ventilated areas.

**Conditions for safe storage, including any incompatibilities**

**Technical Measures/Storage Conditions** Store contents under 100 F. Store drums with bung in the upright position. Technical Measures/Storage Conditions.

**Incompatible Products** Strong oxidizing and reducing agents. Strong acids. Bases. Free radical initiators. Strong oxidizing agents, strong acids, and strong bases. Copper. Incompatible Products.

**8. EXPOSURE CONTROLS/PERSONAL PROTECTION****Control parameters****Exposure Guidelines**

Chemical Name	ACGIH TLVs	OSHA PELs	NIOSH RELs
STYRENE MONOMER 100-42-5	TWA: 20 ppm STEL: 40 ppm	TWA: 100 ppm Ceiling: 200 ppm	TWA: 50 ppm TWA: 215 mg/m <sup>3</sup> STEL: 100 ppm STEL: 425 mg/m <sup>3</sup> IDLH: 700 ppm
METHYL METHACRYLATE 80-62-6	TWA: 50 ppm STEL: 100 ppm SEN	TWA: 100 ppm TWA: 410 mg/m <sup>3</sup>	TWA: 100 ppm TWA: 410 mg/m <sup>3</sup> IDLH: 1000 ppm

NIOSH IDLH: *Immediately Dangerous to Life or Health*

**Appropriate engineering controls**

**Engineering Measures** Ensure adequate ventilation. Apply technical measures to comply with the occupational exposure limits. Check the air in the buildings to ensure that it is not explosive. Ensure that eyewash stations and safety showers are close to the workstation location.

**Individual protection measures, such as personal protective equipment**

**Eye/Face Protection** Safety glasses with side-shields. Eye protection such as chemical splash goggles and/or face shield must be worn when possibility exists for eye contact due to splashing/spraying liquid, airborne particles, or vapors.

**Skin and Body Protection** When skin contact is possible, protective clothing including gloves, apron, sleeves, boots, head and face protection should be worn. Wear suitable protective clothing.

**Respiratory Protection** Use only with adequate ventilation. If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn.

**Hygiene Measures** When using, do not eat, drink or smoke. Provide regular cleaning of equipment, work area and clothing.

**9. PHYSICAL AND CHEMICAL PROPERTIES**

**Information on basic physical and chemical properties**

<b>Physical State</b>	Liquid
<b>Appearance</b>	Translucent
<b>Odor</b>	Moderate aromatic
<b>Odor Threshold</b>	No information available
<b>pH</b>	No information available
<b>Melting point/freezing point</b>	No information available
<b>Boiling Point</b>	No information available
<b>Flash Point</b>	28 °C / 82 °F
<b>Evaporation rate</b>	No information available
<b>Flammability (solid, gas)</b>	No information available
<b>Flammability Limit in Air</b>	
<b>Upper flammability limit:</b>	No information available
<b>Lower flammability limit:</b>	No information available
<b>Vapor pressure</b>	No information available
<b>Specific Gravity</b>	1.232
<b>Water Solubility</b>	Insoluble
<b>Solubility in other solvents</b>	No information available
<b>Partition coefficient:</b>	No information available
<b>Autoignition Temperature</b>	No information available
<b>Decomposition temperature</b>	No information available
<b>Viscosity, kinematic</b>	No information available
<b>Viscosity, dynamic</b>	No information available
<b>Explosive properties</b>	No information available
<b>Oxidizing Properties</b>	No information available
<b>VOC Content</b>	39.11
<b>Density VALUE</b>	10.24640
<b>Bulk Density VALUE</b>	No information available
<b>HAPS data</b>	No information available
<b>Monomer</b>	38.5355

**10. STABILITY AND REACTIVITY****Reactivity**

Stable under normal conditions      No data available

**Chemical stability**

The product is normally supplied in a stabilized form. If the permissible storage period and/or storage temperature is noticeably exceeded, the product may polymerize with heat evolution.

**Possibility of hazardous reactions**

**Hazardous Polymerization**      Hazardous polymerization may occur.

**Conditions to Avoid**

Heat (temperatures above flash point), sparks, ignition points, flames, static electricity. Avoid improper addition of promotor and/or catalyst. Avoid direct contact of MEKP catalyst with accelerator. If adding accelerator like cobalt drier, mix accelerator with base material before adding catalyst.

**Incompatible Materials**

Strong oxidizing and reducing agents. Strong acids. Bases. Free radical initiators. Strong oxidizing agents, strong acids, and strong bases. Copper. Incompatible Products.

**Hazardous Decomposition Products**

None under normal use. May emit toxic fumes under fire conditions.

**11. TOXICOLOGICAL INFORMATION**

Information on likely routes of exposure

<b>Product Information</b>	The product itself has not been tested.
<b>Inhalation</b>	May cause irritation of respiratory tract. Exposure to component solvent vapor concentrations in excess of the stated occupational exposure limit may result in adverse health effect, such as mucous membrane and respiratory system irritation and adverse effect on kidney, liver and central nervous system.
<b>Eye Contact</b>	May cause redness, itching, and pain.
<b>Skin Contact</b>	Prolonged skin contact may defat the skin and produce dermatitis.
<b>Ingestion</b>	Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea.

Chemical Name	LD50 Oral	LD50 Dermal	LC50 Inhalation
STYRENE MONOMER 100-42-5	= 1000 mg/kg ( Rat )	-	= 11.8 mg/L ( Rat ) 4 h
METHYL METHACRYLATE 80-62-6	-	-	= 4632 ppm ( Rat ) 4 h

Information on toxicological effects

<b>Symptoms</b>	Symptoms of overexposure are dizziness, headache, tiredness, nausea, unconsciousness, cessation of breathing. Irritating to skin.
-----------------	---

Delayed and immediate effects as well as chronic effects from short and long-term exposure

<b>Serious eye damage/eye Irritation</b>	Irritating to eyes.
<b>Sensitization</b>	May cause sensitization by inhalation and skin contact.
<b>Mutagenic Effects</b>	None known.
<b>Carcinogenicity</b>	The table below indicates whether each agency has listed any ingredient as a carcinogen.

Chemical Name	ACGIH	IARC	NTP	OSHA
STYRENE MONOMER 100-42-5		Group 2B	Reasonably Anticipated	X
METHYL METHACRYLATE 80-62-6		Group 3		
COBALT 2-ETHYLHEXANOATE, 12% COBALT 136-52-7		Group 2B		X

*ACGIH**A2 - Suspected Human Carcinogen**IARC**Group 2B - Possibly Carcinogenic to Humans**Not classifiable as a human carcinogen**NTP:**Known - Known Carcinogen**Reasonably Anticipated - Reasonably Anticipated to be a Human Carcinogen**OSHA**X - Present*

<b>Reproductive Toxicity</b>	This product does not contain any known or suspected reproductive hazards.
<b>Developmental Toxicity</b>	None known.
<b>Teratogenicity</b>	None known.
<b>Specific target organ systemic toxicity (single exposure)</b>	No known effects under normal use conditions.
<b>Specific target organ systemic toxicity (repeated exposure)</b>	May cause disorder and damage to the. Skin. Eyes. Respiratory system. Central nervous system (CNS). Liver. Lungs. Ears.
<b>Chronic Toxicity</b>	Repeated or prolonged skin contact may cause skin irritation and/or dermatitis and sensitization of susceptible persons. Possible cancer hazard. May cause cancer based on animal data.
<b>Target Organ Effects</b>	Central nervous system (CNS), Reproductive system, Central Vascular System (CVS), Respiratory system, Eyes, Liver, Skin.
<b>Aspiration hazard</b>	Aspiration hazard.

Numerical measures of toxicity - Product Information

The following values are calculated based on chapter 3.1 of the GHS document .

ATEmix (oral)	1187 mg/kg
ATEmix (inhalation-gas)	5343 mg/L
ATEmix (inhalation-dust/mist)	1.8 mg/L
ATEmix (inhalation-vapor)	14 mg/L

## 12. ECOLOGICAL INFORMATION

### Ecotoxicity

47.93797% of the mixture consists of component(s) of unknown hazards to the aquatic environment

Chemical Name	Toxicity to algae	Toxicity to fish	Toxicity to microorganisms	Toxicity to daphnia and other aquatic invertebrates
STYRENE MONOMER 100-42-5	0.15 - 3.2: 96 h Pseudokirchneriella subcapitata mg/L EC50 static 0.46 - 4.3: 72 h Pseudokirchneriella subcapitata mg/L EC50 static 0.72: 96 h Pseudokirchneriella subcapitata mg/L EC50 1.4: 72 h Pseudokirchneriella subcapitata mg/L EC50	58.75 - 95.32: 96 h Poecilia reticulata mg/L LC50 static 6.75 - 14.5: 96 h Pimephales promelas mg/L LC50 static 19.03 - 33.53: 96 h Lepomis macrochirus mg/L LC50 static 3.24 - 4.99: 96 h Pimephales promelas mg/L LC50 flow-through		3.3 - 7.4: 48 h Daphnia magna mg/L EC50
METHYL METHACRYLATE 80-62-6	170: 96 h Pseudokirchneriella subcapitata mg/L EC50	153.9 - 341.8: 96 h Lepomis macrochirus mg/L LC50 static 79: 96 h Oncorhynchus mykiss mg/L LC50 static 79: 96 h Oncorhynchus mykiss mg/L LC50 flow-through 326.4 - 426.9: 96 h Poecilia reticulata mg/L LC50 static 125.5 - 190.7: 96 h Pimephales promelas mg/L LC50 static 170 - 206: 96 h Lepomis macrochirus mg/L LC50 flow-through 243 - 275: 96 h Pimephales promelas mg/L LC50 flow-through		69: 48 h Daphnia magna mg/L EC50

### Persistence and Degradability

No information available.

### Bioaccumulation

No information available.

Chemical Name	Log Pow
STYRENE MONOMER 100-42-5	2.95
METHYL METHACRYLATE 80-62-6	0.7

## 13. DISPOSAL CONSIDERATIONS

### Waste treatment methods

#### Waste Disposal Methods

It must undergo special treatment, e.g. at suitable disposal site, to comply with local regulations.

#### Contaminated Packaging

Do not re-use empty containers.

#### US EPA Waste Number

D001

Chemical Name	California Hazardous Waste Status
STYRENE MONOMER 100-42-5	Toxic Ignitable
METHYL METHACRYLATE 80-62-6	Toxic Ignitable
COBALT 2-ETHYLHEXANOATE, 12% COBALT 136-52-7	Toxic

#### 14. TRANSPORT INFORMATION

##### DOT

**UN-No** UN1866  
**Proper shipping name** Resin solution  
**Hazard Class** 3  
**Packing group** III  
**Special Provisions** B1, B52, IB3, T2, TP1  
**Description** UN1866, Resin solution, 3, III  
**ERG Number** 127

##### TDG

**UN-No** UN1866  
**Proper shipping name** Resin solution  
**Hazard Class** 3  
**Packing Group** III  
**Description** UN1866, Resin solution, 3, III

##### MEX

**UN-No** UN1866  
**Proper shipping name** Resin solution  
**Hazard Class** 3  
**Special Provisions** 223  
**Packing Group** III  
**Description** UN1866, Resin solution, 3, III

##### ICAO

**UN-No** UN1866  
**Proper shipping name** Resin solution  
**Hazard Class** 3  
**Packing group** III  
**Special Provisions** A3  
**Description** UN1866, Resin solution, 3, III

##### ICAO/IATA

**UN-No** UN1866  
**Proper shipping name** Resin solution  
**Hazard Class** 3  
**Packing group** III  
**Special Provisions** A3  
**Description** UN1866, Resin solution, 3, III

##### IMDG/IMO

**UN-No** UN1866  
**Proper shipping name** Resin solution  
**Hazard Class** 3  
**Packing Group** III  
**EmS No.** F-E, S-E  
**Special Provisions** 223, 955  
**Description** UN1866, Resin solution, 3, III

##### RID

**UN-No** UN1866  
**Proper shipping name** Resin solution



**Hazard Class** 3  
**Packing Group** III  
**Classification Code** F1  
**Description** UN1866, Resin solution, 3, III

**ADR/RID**

**UN-No** UN1866  
**Proper shipping name** Resin solution  
**Hazard Class** 3  
**Packing group** III  
**Classification Code** F1  
**Tunnel restriction code** (D/E)  
**Special Provisions** 640E  
**Description** UN1866, Resin solution, 3, III  
**ADR/RID-Labels** 3

**ADN**

**Proper shipping name** Resin solution  
**Hazard Class** 3  
**Packing Group** III  
**Classification Code** F1  
**Special Provisions** 640E  
**Description** UN1866, Resin solution, 3, III  
**Hazard Labels** 3  
**Limited Quantity** 5 L  
**ventilation** VE01

<b>15. REGULATORY INFORMATION</b>
-----------------------------------

**International Inventories**

**TSCA** All components are listed or exempted  
**DSL/NDSL** Not Determined  
**EINECS/ELINCS** Not Determined  
**ENCS** Not Determined  
**IECSC** Not Determined  
**KECL** Not Determined  
**PICCS** Not Determined  
**AICS** Not Determined

**TSCA** - United States Toxic Substances Control Act Section 8(b) Inventory

**DSL/NDSL** - Canadian Domestic Substances List/Non-Domestic Substances List

**EINECS/ELINCS** - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical Substances

**ENCS** - Japan Existing and New Chemical Substances

**IECSC** - China Inventory of Existing Chemical Substances

**KECL** - Korean Existing and Evaluated Chemical Substances

**PICCS** - Philippines Inventory of Chemicals and Chemical Substances

**AICS** - Australian Inventory of Chemical Substances

**U.S. Federal Regulations****SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

Chemical Name	CAS-No	Weight %	SARA 313 - Threshold Values %
STYRENE MONOMER - 100-42-5	100-42-5	33.54	0.1
METHYL METHACRYLATE - 80-62-6	80-62-6	4.995	1.0

**Clean Water Act**

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42):

Chemical Name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances

STYRENE MONOMER 100-42-5	1000 lb			X
METHYL METHACRYLATE 80-62-6	1000 lb			X

**CERCLA**

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302):

Chemical Name	Hazardous Substances RQs	Extremely Hazardous Substances RQs	RQ
STYRENE MONOMER 100-42-5	1000 lb		RQ 1000 lb final RQ RQ 454 kg final RQ
METHYL METHACRYLATE 80-62-6	1000 lb		RQ 1000 lb final RQ RQ 454 kg final RQ

**U.S. State Regulations****California Proposition 65**

This product contains the following Proposition 65 chemicals:

Chemical Name	California Prop. 65
SILICA, CRYSTALLINE-QUARTZ - 14808-60-7	Carcinogen
METHYL ALCOHOL - 67-56-1	Developmental

**U.S. State Right-to-Know Regulations**

Chemical Name	New Jersey	Massachusetts	Pennsylvania
STYRENE MONOMER 100-42-5	Present (carcinogen)	Present	Environmental hazard
TALC (HYDROUS MAGNESIUM SILICATE) 14807-96-6	Present (carcinogen)	Present	Present
ALUMINUM SILICATE (KAOLI 1332-58-7	Present	Present	Present
METHYL METHACRYLATE 80-62-6	Present	Present	Environmental hazard
SILICA, AMORPHOUS 112926-00-8	Present	Present	Present
COBALT 2-ETHYLHEXANOATE, 12% COBALT 136-52-7	Present (carcinogen)		Environmental hazard

**U.S. EPA Label information****Canada**

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations (CPR) and the MSDS contains all the information required by the CPR.

**WHMIS Hazard Class**

B2 Flammable liquid  
D2A Very toxic materials

**16. OTHER INFORMATION**

<b>NFPA</b>	Health Hazard 2	Flammability 3	Instability 0	Physical and Chemical Hazards -
<b>HMIS</b>	Health Hazard 2*	Flammability 3	Physical Hazard 2	Personal Protection X

Revision Date 21-Jul-2015  
Revision Note No information available

**DISCLAIMER AND LIMITATION OF LIABILITY**

LIMITED WARRANTY. Seller warrants that: (i) Buyer shall obtain good title to the product sold hereunder, (ii) at shipment such product shall conform to the Seller's published specifications for the product and for a period of 30 days thereafter, and (iii) the sale or use of such product will not infringe the claims of any U.S. patent covering the product itself, but Seller does not warrant against infringement which might arise by the use of said product in any combination with other products or arising in the operation of any process. SELLER MAKES NO OTHER WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING WITHOUT LIMITATION ANY WARRANTY OF MERCHANTABILITY OR FITNESS FOR ANY PARTICULAR PURPOSE, EVEN IF THAT PURPOSE IS KNOWN TO THE SELLER. ANY ADDITIONAL REPRESENTATIONS OR SUGGESTIONS REGARDING THE PRODUCT OR ITS POSSIBLE USES ARE BASED UPON THE SELLER'S GOOD FAITH OPINION AND BELIEF, BUT ARE NOT TO BE CONSTRUED AS AFFIRMATIONS OF FACT, PROMISES OR DESCRIPTIONS, AND SHALL IN NO WAY BE DEEMED PART OF THE SALE OF THE PRODUCTS. ADDITIONAL RIGHTS OR OBLIGATIONS YOU MAY HAVE AS A PURCHASER OF THIS PRODUCT ARE SET FORTH IN THE LIMITED WARRANTY AND LIMITATION OF LIABILITY, which are included in the packing list for this product.

**End of Safety Data Sheet**