MATERIAL SAFETY DATA SHEET West System Inc.

1. CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

PRODUCT NAME: WEST SYSTEM® 405TM Filleting Blend.

PRODUCT CODE:......405

CHEMICAL FAMILY: No information.
CHEMICAL NAME: No information.
FORMULA: No information.

MANUFACTURER: EMERGENCY TELEPHONE NUMBERS:

West System Inc. Transportation

102 Patterson Ave. CHEMTREC:800-424-9300 (U.S.)

Bay City, MI 48706, U.S.A. 703-527-3887 (International)

Phone: 866-937-8797 or 989-684-7286 Non-transportation

www.westsystem.com Poison Hotline:800-222-1222

2. COMPOSITION/INFORMATION ON INGREDIENTS

 INGREDIENT NAME
 CAS#
 CONCENTRATION

 Cellulose pulp
 65996-61-4
 < 50 %</td>

 Pecan shell flour
 n/a
 < 50 %</td>

 Silicon dioxide
 7631-86-9
 < 20 %</td>

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

HMIS Hazard Rating: Health - 1 Flammability - 1 Reactivity - 0

CAUTION! Avoid excessive inhalation of airborne dust. Excessive airborne dust may create an explosive atmosphere. Light tan, fluffy powder with no odor.

PRIMARY ROUTE(S) OF ENTRY: Inhalation.

POTENTIAL HEALTH EFFECTS:

CHRONIC INHALATION: May aggravate existing respiratory conditions. May cause dryness of mucous membranes of the respiratory tract.

ACUTE SKIN CONTACT: May cause irritation and dryness.

MSDS 405-05a Last Revised: 03JAN05

	CHRONIC SKIN CONTACT: of the skin.	. Repeated exposure may cause dermatitis due to drying
	EYE CONTACT:	. May cause irritation, redness and tearing.
	INGESTION:	. No known effects.
	SYMPTOMS OF OVEREXPOSURE:	. Respiratory tract irritation, eye irritation, skin dryness.
	MEDICAL CONDITIONS AGGRAVATED BY Skin and respiratory conditions, such as dermatitis a	
4.	FIRST AID MEASURES:	
	FIRST AID FOR EYES: discomfort persists, seek medical advice.	. Flush adequately with water to remove particles. If
	FIRST AID FOR SKIN: replenish moisture in the skin if necessary.	. Wash with soap and water. Apply moisturizing cream to
	FIRST AID FOR INHALATION: seek medical advice.	. Remove to fresh air if effects occur. If effects persists,
	FIRST AID FOR INGESTION:	. No specific information.
5.	FIRE FIGHTING MEASURES:	
	FLASH POINT:	. No information.
	EXTINGUISHING MEDIA:	. Water, dry powder or carbon dioxide (CO ₂).
	SPECIAL FIRE FIGHTING PROCEDURES: No specific information.	
6.	ACCIDENTAL RELEASE MEASURES:	
	SPILL OR LEAK PROCEDURES: equipment. Do so in a manner that minimizes airbox	. Sweep and shovel or use properly grounded vacuum rne dust.
7.	HANDLING AND STORAGE:	
	STORAGE TEMPERATURE (min./max.):	. 0°F (-17°C)/100°F (38°C)
	STORAGE:	. Keep dry.
	HANDLING PRECAUTIONS:dust. Properly ground all material handling equipme	. Avoid handling that will unnecessarily generate airborne ent to prevent static discharge.
8.	EXPOSURE CONTROLS/PERSONAL PROTE	CTION:

EYE PROTECTION GUIDELINES: Safety glasses or goggles are recommended, depending on the expected level of exposure.

SKIN PROTECTION GUIDELINES:...... Areas expected to have repeated exposure, such as hands, may need to be protected by an impervious material to prevent dryness. Barrier creams can be used effectively.

RESPIRATORY/VENTILATION GUIDELINES:

Work environments should be maintained below applicable exposure level through the use of engineering controls, such as dilution and exhaust ventilation. If this is not feasible, use a NIOSH approved dust mask/respirator for nuisance dust.

ADDITIONAL PROTECTIVE MEASURES:

Practice good industrial hygiene by washing with soap and water after each use. Apply moisturizing cream to replenish moisture if necessary.

OCCUPATIONAL EXPOSURE LIMITS: This product should be treated as a nuisance dust. Refer to OSHA's Permissible Exposure Level (PEL) or the ACGIH Guidelines for information on specific ingredients.

9. PHYSICAL AND CHEMICAL PROPERTIES:

PHYSICAL FORM	Powder.
COLOR	Tan.
ODOR	Odorless.
BOILING POINT	No data.
MELTING POINT/FREEZE POINT	No data.
pH	No data.
SOLUBILITY IN WATER	Insoluble.
SPECIFIC GRAVITY	1.5
BULK DENSITY	1.72 pounds/gallon.
VAPOR PRESSURE	
VAPOR DENSITY	* *
% VOLATILE BY WEIGHT	* *

10. REACTIVITY:

STABILITY:	Stable.

HAZARDOUS POLYMERIZATION: Will not occur.

INCOMPATIBILITIES: A chemical reaction is possible with strong bases or hydrofluoric acid.

a. 11

11. TOXICOLOGICAL INFORMATION:

No information.

CARCINOGENICITY:

NTP	No.
IARC	
OSHA	

12. ECOLOGICAL INFORMATION:

No information.

13. **DISPOSAL CONSIDERATIONS:**

WASTE DISPOSAL METHOD: This material is determined not to be a hazardous waste as per RCRA standards, either by listing or characteristics. Disposer must comply with all federal, state and local laws. Waste product may be sent to a landfill.

14. TRANSPORTATION INFORMATION:

D.O.T. SHIPPING NAME:	Not regulated by DOT.
TECHNICAL SHIPPING NAME:	Not applicable.
D.O.T. HAZARD CLASS:	Not applicable.
U.N./N.A. NUMBER:	Not applicable.
PACKING GROUP:	Not applicable.

15. <u>REGULATORY INFORMATION:</u>

OSHA STATUS:	Hazardous. Nuisance dust.
TSCA STATUS:	All components of this product are in compliance with
	TSCA Inventory requirements.
SARA TITLE III:	

SECTION 313 TOXIC CHEMICALS None.

STATE REGULATORY INFORMATION:

The following chemicals are specifically listed or otherwise regulated by individual states. For details on your regulatory requirements you should contact the appropriate agency in your state.

COMPONENT NAME

<u>/CAS NUMBER</u> <u>CONCENTRATION</u> <u>STATE CODE</u>

None known.

16. OTHER INFORMATION:

REASON FOR ISSUE:

PREPARED BY:

T. J. Atkinson

APPROVED BY:

G. M. House

TITLE:

Health, Safety & Environmental Manager

APPROVAL DATE:

January 3, 2005

SUPERSEDES DATE:

January 5, 2004

MSDS NUMBER:

405-05a

Note: The Hazardous Material Indexing System (HMIS), cited in the Emergency Overview of Section 3, uses the following index to assess hazard rating: 0 = Minimal; 1 = Slight; 2 = Moderate; 3 = Serious; and 4 = Severe.

This information is furnished without warranty, expressed or implied, except that it is accurate to the best knowledge of West System Inc. The data on this sheet is related only to the specific material designated herein. West System Inc. assumes no legal responsibility for use or reliance upon these data.

MSDS 405-05a Last Revised: 03JAN05